




Vanguard Laboratory  
 2635 Parkmont Ln  
 Olympia, Wa 98502  
 360-967-7010

# Certificate of Analysis

Tesamorelin 10 mg

Report To:  
**Solyn Labs LLC**

Compound: Tesamorelin  
 Amount: 10 mg  
 Laboratory ID: V260128-20 001  
 Date Reported: 2/15/2026  
 Lot Number: 1219



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	99.05% + 0.18%
Assay	HPLC-UV/VIS	10.71 mg



Report By: Dustin Newman, Laboratory Director on 2/15/2026

Approved By: Tori Johnson, Operations Manager on 2/15/2026

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory  
2635 Parkmont Ln  
Olympia, Wa 98502  
360-967-7010

# Certificate of Analysis

Tesamorelin 10 mg

Report To:  
**Solyn Labs LLC**

Compound: Tesamorelin  
Amount: 10 mg  
Laboratory ID: V260128-20 001  
Date Reported: 2/15/2026  
Lot Number: 1219

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 260203

Analysis	Method	Result
Endotoxins	LAL	Pass - <5.00 EU/mg*
Sterility	USP <71>	PASS - No microorganisms present in sample tested.

\*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 2/15/2026

Approved By: Tori Johnson, Operations Manager on 2/15/2026

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.